

PRODUCT-DETAILS

## FH204 AC-63/0.1

## FH204 AC-63/0.1 Residual Current Circuit Breaker 4P AC type 100 mA



General Information	
Extended Product Type	FH204 AC-63/0.1
Product ID	2CSF204006R2630
EAN	8012542895602
Catalog Description	FH204 AC-63/0.1 Residual Current Circuit Breaker 4P AC type 100 mA
Long Description	The RCCBs FH200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous AC and A types is particularly suitable for installation in domestic applications.
Eco Transparency	
Environmental Product Declaration - EPD	9AKK108467A3700
Technical	
Standards	IEC 61008
Type of Residual Current	AC type
Rated Voltage (U <sub>r</sub> )	230/400 V
Rated Operational Voltage	230 / 400 V AC
Rated Insulation Voltage	500 V

© 2024 ABB. All rights reserved.

2024/03/11

Subject to change without notice

(U <sub>i</sub> )	
Rated Impulse Withstand Voltage (U <sub>imp</sub> )	4 kV
Rated Current (In)	63 A
Rated Residual Current	100 mA
Rated Service Short- Circuit Breaking Capacity (I <sub>cs</sub> )	1 kA
Maximum Surge Current	0.25 kA
Leakage Current Type	AC
Rated Frequency (f)	50 Hz
Power Loss	at Rated Operating Conditions per Pole 4.4 W
Number of Poles	4
Operating Characteristic	Instantaneous
Position of Neutral Terminals	Right
Mounting Type	DIN-Rail

Terriniais	
Mounting Type	DIN-Rail
Options Provided	None
Accessories Available	No
Rated Cross-Section	4 - Multi-Wired 1025 mm²
	1 - Solid-Core 2525 mm²

Material Compliance	
RoHS Information	9AKK106713A5603
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20211115
REACH Declaration	9AKK108467A9482
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air	Operation -5 +40 °C
Temperature	Storage -40 +70 °C
Degree of Protection	IP2X
Environmental	Refer to RoHS
Information	

Technical UL/CSA	
Short-Circuit Current	0.1 A
Rating (SCCR)	

Dimensions	
Width in Number of Modular Spacings	4
Product Net Width	70 mm
Product Net Height	69 mm
Product Net Depth / Length	85 mm
Product Net Weight	0.38 kg

© 2024 ABB. All rights reserved.

2024/03/11

Subject to change without notice

Built-In Depth (t <sub>2</sub> )	69 mm
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.415 kg
Certificates and Declarations	
Declaration of Conformity - CE	9AKK106713A5603
Installation	
Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical Information	2CSC400030D0202
Classifications	
ETIM 8	EC000003 - Residual current circuit breaker (RCCB)
ETIM 9	EC000003 - Residual current circuit breaker (RCCB)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363030
eClass	V11.0 : 27142201
Object Classification Code	F

## Categories

Low Voltage Products and Systems  $\rightarrow$  Modular DIN Rail Products  $\rightarrow$  Residual Current Devices RCDs  $\rightarrow$  Residual Current Devices RCDs





